

PIEZO ULT RASONIC SENSOR

Part Number: VT-US40T1003/VT-US40R1003






Applications

Burglar alarms、 Range finds、 Automatic doors、 Remote control.

Features

- 2.1) Open Structure and fission
- 2.2) Compact and light weight
- 2.3) High sensitivity and sound pressure
- 2.4) Less power consumption
- 2.5) High reliability


1.Dimension (Unit: mm)



2.Electrical Characteristics



No.	Item	Unit	Specifications	
1	Type		VT-US40T1004	VT-US40R1004
2	Construction		Open Structure	
3	Using Method	KHZ	Transmitter	Receiver
4	Center Frequency		40.0±1.0khz	38.3±1K Hz
5	Transmitting Sound Pressure level	dB	min.115dB (10V/30cm)	-----
7	Receive Sensitivity	dB	-----	min. -65dB /V/ μbar
8	Capacitance	pF	2500pF±25% at 1KHz	
9	Directivity	°	50deg	
10	Operating Temperature	°C	-35 to +85°C	
11	Storage Temperatire	°C	-35 to +85°C	
12	Detectable Range		0.7...18m	
13	Maximum Input Voltage	Vp-p	60Vp-p	
11	Housing Material		MPPO	

3.Directivity




Directivity in Overall Sensitivity

4. Beam pattern



5. Test circuit



R:3.9K Ω RC=1K Ω

T.G.:Target

F.G.:Function Generator

O.S.:Oscilloscope

6. Reliability Test

6.1 High temp. life test

Temperature	+ 85±3°C
Duration	500hrs

6.2 Low temp. life test

Temperature	-40±3°C
Duration	500hrs

6.3 Heat Cycle Test

Temperature	+ 85±3°C 1hour -40±3°C 1hour
Cycles	100cycles

6.4 Humidity Test

Temperature	+65±2°C
Relative Humidity	90~95%
Duration	500hrs

6.5 Vibration Test

Vibration Frequency	10~ 200Hz
Sweep Period	1 5min
Acceleration	43.12m/s ² (4.4G)
Direction	3(x.y&z)
Time	96hours/direction

6.6 Shock test

Acceleration	sine 980 m/s ² (100G)
Direction	3directions
Shock time	3 time/directions

6.7 Drop test

Height	1m onto concrete floor
Times	10 times

6.8 Connector soldering check:

Immersing terminal up to 1mm below base in soldering bath at 260 °C 10seconds

Notice:

The variation of the S.P.L at 40 kHz is within 3dB compared with initial figures at 25°C in 2 4 hours after above test condition.

7. Notice

7.1 Export Control <For customers outside The People's Republic of China>

No BeStar products should be used or sold, through any channels, for use in the design, development, production, utilization, maintenance or operation of, or otherwise contribution to (1) any weapons (Weapons of Mass Destruction [nuclear, chemical or biological weapons or missiles] or conventional weapons) or (2) goods or systems specially designed or intended for military end-use or utilization by military end-users.

7.2 Please contact our sales representatives or product engineers before using the products in the specification or catalogue for the applications listed below, which require especially high reliability for the prevention of defects which might directly damage a third party's life, body or property, or when one of our products is intended for use in applications other than those specified in this specification.

- a) Aircraft equipment or Aerospace equipment
- b) Undersea equipment and Power plant equipment
- c) Medical equipment and Transportation equipment (vehicles, trains, ships, etc.)
- d) Traffic signal equipment i Disaster prevention / crime prevention equipment
- e) Data-processing equipment including Application of similar complexity and/or reliability requirements to the applications listed above

7.3 Product specifications and catalogues are subject to change and our products in them may be discontinued without advance notice.

Please check with our sales representatives or product engineers before ordering. If there are any questions, please contact our sales representatives or product engineers.

7.4 Please read rating and CAUTION (for storage, operating, rating, soldering, mounting and handling) in this specifications in order to prevent smoking and/or burning, etc.

7.5 Please note that unless otherwise specified, we shall assume no responsibility whatsoever for any conflict or dispute that may occur in connection with the effect of our and/or a third party's intellectual property rights and other related rights in consideration of your use of our products and/or information described or contained in our specifications and catalogues. In this connection, no representation shall be made to the effect that any third parties are authorized to use the rights mentioned above under licenses without our consent.

7.6 No ozone depleting substances (ODS) under the Montreal Protocol are used in our manufacturing process.

