


### SAW FILTER

Part Number: VTF13036

The VTF13036 is a low-loss, compact, and economical surface-acoustic-wave (SAW) RF filter in a surface-mount ceramic QCC8B case with 130.380 MHz center frequency used for mobile systems.

-----Preliminary

### 1. Package Dimension (QCC8B)



Pin	Configuration
3	Input / Output
7	Output / Input
1,2,5,6	To be grounded
4,8	Case Ground


Sign	Sign Data (unit: mm)		Data (unit: mm)		
Α	1.00	D	1.50		
В	1.27	Е	3.80		
С	0.60	F	3.80		

## 2. Marking

VTF 13036

Laser Marking

# 3. Matching Circuit



L= 12 turns of 0.51mm insulated copper, 5.0mm ID

### 4. Performance

### 4-1.Maximum Ratings

Rating		Value	Unit	
Input Power Level	Р	10	dBm	
DC Voltage	V <sub>DC</sub>	0	٧	
Storage Temperature Range	$T_{ m stg}$	-40 to +85	℃	
Operable Temperature Range	TA	-20 to +60	°C	



#### 4-2. Electronic Characteristics

Characteristic		Min.	Тур.	Max.	Unit
Center Frequency	f <sub>C</sub>		130.380		MHz
Insertion Loss	IL	(77)	-	5.5	dB
3dB Bandwidth	BW <sub>3</sub>		1.30		MHz
Stop Band Attenuation (from minimum <i>IL</i> ) 135.33 MHz 139.63 MHz ~ 140.93 MHz	а	40 45	-	-	dB
Group Delay Time Deviation $f_{\rm C} \pm 650~{\rm kHz}$		-		0.8	μЅ
Input / Output Impedance		312Ω // 1.61μΗ			

(i) CAUTION: Electrostatic Sensitive Device. Observe precautions for handling!

- 1. The frequency f<sub>C</sub> is defined as the midpoint between the 3dB frequencies.
- Unless noted otherwise, all measurements are made with the filter installed in the specified test fixture that is connected to a 50Ω test system with VSWR≤1.2:1.
- 3. Unless noted otherwise, specifications apply over the entire specified operating temperature range.
- The specifications of this device are based on the test circuit shown above and subject to change or obsolescence without notice.
- All equipment designs utilizing this product must be approved by the appropriate government agency prior to manufacture or sale.
- Our liability is only assumed for the Surface Acoustic Wave (SAW) component(s) per se, not for applications, processes and circuits implemented within components or assemblies.
- For questions on technology, prices and delivery, please contact our sales offices or e-mail info@vtorch.ca